



[Knowledgebase](#) > [WigosGui](#) > [Hold vs Win & Play Session Variance Guide](#)

Hold vs Win & Play Session Variance Guide

Cristian Gandos - 2026-02-12 - [Comments \(0\)](#) - [WigosGui](#)

Guide: Resolving Variances in Play Sessions and Hold vs Win Reports

Applies to WIGOS Statistics and EGM meter reconciliation workflows

Purpose

This document provides general rules to resolve two common variance scenarios:

1. Play Session unbalances in **Statistics > Play Sessions**.
2. Hold vs Win variances between meter-driven **Hold** and report-driven **Total Win**.

The goal is to restore internal consistency while preserving accurate financial reporting.

Key Definitions

Play Session Variance:

An unbalance within a single gaming session (e.g., Redeemable Won or Redeemable Played not aligned with session totals).

Hold vs Win Variance:

A mismatch between meter-derived Hold and report-derived Total Win for the same time window.

1) Fixing Play Session Variances

Where to Adjust

Statistics > Play Sessions > Gaming Session Adjustment

General Rule

Use the **Gaming Session Adjustment** screen to eliminate the session variance by adjusting either **Redeemable Played** or **Redeemable Won**.

In most cases, you remove the variance by adding or subtracting the variance amount from one of these two fields.

Recommended Workflow

1. Identify the affected session(s) showing an unbalance/variance.
2. Open the session and locate the **Redeemable Played** and **Redeemable Won** fields (double click to edit).
3. Apply the correction by adding or subtracting the variance amount to one field (Played or Won) until the session variance becomes **0.00**.
4. Save the adjustment and re-run/refresh the report to confirm the variance is cleared.

Choosing Between Played vs Won

- Prefer the smallest and most logical adjustment that brings the session back to balance.
- Avoid adjustments that would make Played negative or otherwise invalid for the session.
- If multiple sessions are unbalanced, correct them individually and confirm totals reconcile after completing the full set of changes.

Conceptual Example

If a session shows a variance of **-20.00**, you can eliminate it by reducing **Redeemable Won** by 20.00 (or increasing **Redeemable Played** by 20.00), depending on which value best matches the expected outcome.

2) Fixing Hold vs Win Variances

Why This Happens (High-Level Explanation)

Hold is meter-driven (SAS meters), while **Total Win** is calculated from multiple report components.

If a meter is understated or overstated for the report interval, Hold and Total Win can diverge.

How the Report Calculates Key Values (Reference)

Hold (Meter-Derived)

$$\text{Hold} = M0 - (M1 + M2)$$

Where:

- **M0 = 0000 Coin In**
- **M1 = 0001 Coin Out**
- **M2 = 0002 Jackpot**

Total Win (Report-Derived, Simplified)

$$\text{Total Win} = \text{Total In} - \text{Total Out}$$

- **Total In** includes: bills and relevant in-meters.

- **Total Out** includes: relevant out-meters and payouts.
-

Where to Adjust Meters

EGMs > **Meter Adjusting** (for the affected terminal/EGM)

General Rule

After confirming that Play Session corrections are complete (if applicable), compare **Hold vs Total Win** for the exact same time window.

If a variance remains, it typically indicates a meter discrepancy. In most cases, the adjustment is applied to meter **0001 (Coin Out)**.

Recommended Workflow

1. Confirm the report interval/time window (start and end) and ensure you are comparing the same interval everywhere.
 2. Re-run Hold vs Win after any Play Session adjustments to see what variance remains (if any).
 3. Compute the variance:
Variance = Hold - Total Win (for the same interval).
 4. Identify the most likely meter involved. In most cases, this will be **Coin Out (0001)**.
 5. In **EGMs > Meter Adjusting**, double click the meter to adjust and correct it in the **Systems** field.
 6. Apply the meter adjustment for the affected EGM and interval, then re-run the report to confirm the variance is cleared.
-

Meters to Consider (Common Cases)

- **0000 Coin In (M0):**
If Hold is unexpectedly low or high due to Coin In being incorrect for the interval.
 - **0001 Coin Out (M1):**
Most common case. If Hold is higher than expected relative to Total Win, Coin Out may be understated.
 - **0002 Jackpot (M2):**
If jackpot meters were not captured correctly within the same time window.
-

Important Notes

- Always validate the time window boundaries. Many sites use fixed operational boundaries (e.g., hourly

blocks or daily boundaries).

- When working with credits or denomination, convert correctly:

$$\text{\$ Variance} \div \text{Denomination} = \text{Credits to Adjust}$$

- If there are duplicate meter rows at the same timestamp/code (including 0.00 rows), use the summed increment for the interval.
- If a meter adjustment is applied and it does not resolve the variance in the Hold vs Win report, you may revert the change and document the reason for the reversal.

Disclaimer and Escalation

Some variance scenarios are not straightforward (for example, when multiple meters and sessions are involved, or when the correct meter to adjust is unclear).

If you encounter a case where the fix is not evident, please create a support ticket including:

- EGM/terminal ID
- Exact report time window
- Relevant logs and/or screenshots